

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119	strobe and current near limiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 09:52
L2	1746	flash and peak near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 09:53
L3	2	I1 and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:01
L4	13	strobe near circuit same peak\$3 near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 10:56
L5	1135	strobe near circuit and (current near limiter or (switch\$3 and (sens\$3 or detect\$4 or resistor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:00
L6	11	I5 and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:48
L7	61063	(current near sensor or resistor) and (regulator or (transistor same zener same resistor)) and (amplif\$3 or comparator or transistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:55
L8	879	flash\$3 and strobe and I7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:56
L9	68	peak near current and current near value and I8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 11:56

EAST Search History

L10	57	l9 and @ad<="20030117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:18
L11	423	current near value and current near peak and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:17
L12	357	l11 and @ad<="20030117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:06
L13	386845	warning or alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:21
L16	2515544	strobe near circuit and current near\$3 peak and current near value\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:21
L17	88667	l13 and l16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:21
L18	62751	l17 and @ad<="20030117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:22
L19	11571	l18 and flash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:23
L20	4010	(slow\$3 or reduc\$3 or minimum or less near than) with peak near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:24
L21	94	l19 and l20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 12:24

EAST Search History

L22	0	visual near output near device and (microprocessor or processor or microcomputer)same peak near current near draw and output with parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:05
L23	0	visual near output near device and (microprocessor or processor or microcomputer)same peak near current near draw and output same parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:05
L24	0	visual near output and (microprocessor or processor or microcomputer)same peak near current near draw and output same parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:05
L25	0	visual near output and (microprocessor or processor or microcomputer)same peak near current and output same parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:05
L26	0	visual near output and (microprocessor or processor or microcomputer)same peak near current and output and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:06
L27	370	(microprocessor or processor or microcomputer) same peak near current and output and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:06
L28	80	I2 and I27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:06
L29	73	I28 and @ad<="20030117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:07
L30	57	I29 and I13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 13:08